



SMO (Supra-Malleolar Orthosis)

General Description:

SMO is the acronym for Supra-Malleolar Orthosis. The SMO, as with other orthoses, gets its name for the part of the body for which it encompasses. This orthosis supports the leg just above the anklebones or malleoli. The SMO is considered the shortest of the Ankle Foot Orthoses or AFO's.

The SMO is prescribed for patients who have soft, flexible, flat feet. SMO's are often worn by children. The medical term for a flat foot is a pronated foot or pes planus, pes plano-valgus, and hyper-pronated foot.

The SMO is designed to maintain a vertical, or neutral heel while also supporting the three arches of the foot. This can help improve standing balance and walking.



Bannockburn 2101 Waukegan Road, Suite 104 Bannockburn, IL 60015 847-444-0690	Lincoln Park/Chicago 2551 N. Clark St., Suite 200 Chicago, IL 60614 773-472-3663	Rush/Chicago 1725 W. Harrison St., Suite 220 Chicago, IL 60612 312-942-2011	UIC/Chicago 1740 W. Taylor St. Room C100 Chicago, IL 60612 312-996-6450	Hickory Hills 8641 W. 95 th St. Hickory Hills, IL 60457 708-599-8336
Naperville 1551 Bond St., Suite 111 Naperville, IL 60563 630-637-4638	Oakbrook Terrace 1S376 Summit Ave., Ct. E Oakbrook Terrace, IL 60181 630-424-0392	Oak Park 401 Harrison Street Oak Park, IL 60304 708-383-2257	Schaumburg 1701 E. Woodfield Rd., Ste 555 Schaumburg, IL 60173 847-619-1701	Schererville 6629 W. Lincoln Hwy. (Rt. 30), Suite 1 PO Box 507 Schererville, IN 46375 219-864-9501

Application:

1. Spread the plastic which wraps around the top of the foot (dorsum flaps). See Figure 2.
2. Approach the foot from behind and "scoop" the foot inside the SMO. In order to ensure that the heel is all the way inside the SMO, bend the knee and push the foot backwards and down by gently exerting pressure over the instep of the foot. It is very important to make sure that the heel is properly seated inside the SMO. See figure 3.
3. Fasten the instep strap over the instep to hold the heel inside the SMO. See Figure 4.



Figure 1



Figure 2



Figure 3



Figure 4

Bannockburn
2101 Waukegan Road,
Suite 104
Bannockburn, IL 60015
847-444-0690

Naperville
1551 Bond St., Suite 111
Naperville, IL 60563
630-637-4638

Lincoln Park/Chicago
2551 N. Clark St., Suite 200
Chicago, IL 60614
773-472-3663

Oakbrook Terrace
1S376 Summit Ave., Ct. E
Oakbrook Terrace, IL 60181
630-424-0392

Rush/Chicago
1725 W. Harrison St.,
Suite 220
Chicago, IL 60612
312-942-2011

Oak Park
401 Harrison Street
Oak Park, IL 60304
708-383-2257

UIC/Chicago
1740 W. Taylor St.
Room C100
Chicago, IL 60612
312-996-6450

Schaumburg
1701 E. Woodfield Rd.,
Ste 555
Schaumburg, IL 60173
847-619-1701

Hickory Hills
8641 W. 95th St.
Hickory Hills, IL 60457
708-599-8336

Schererville
6629 W. Lincoln Hwy.
(Rt. 30), Suite 1
PO Box 507
Schererville, IN 46375
219-864-9501

4. The foot with the SMO is then slid into a shoe. The shoelaces may need to be opened wide in order to get the SMO easily into the shoe. See Figure 5.
5. If necessary, remove the insole of the shoe to accommodate the SMO. See Figure 6.



Figure 5



Figure 6

Wearing Schedule:

On the first day you receive the brace, begin by wearing for only 1 hour. After 1 hour, remove the brace and check your skin for red marks. Some small, light red marks may be noticed on the skin that should go away in 20 to 30 minutes after removing the brace. Slight redness is common over the instep and under the ball of the foot. If the red marks do not go away in 20 to 30 minutes or if you notice any scratching, bruising, or blistering, **do not put the brace back on**. Call immediately to schedule an appointment with your orthotist.

If the skin is ok, wait at least 1 hour and then put the brace back on for 1 hour at a time for the rest of the first day, checking the skin after each hour.

On the second day, put the brace on for 2 hours. After 2 hours, remove the brace and check the skin. If the skin is ok, put the brace back on for 2 hours at a time for the rest of

Bannockburn
2101 Waukegan Road,
Suite 104
Bannockburn, IL 60015
847-444-0690

Naperville
1551 Bond St., Suite 111
Naperville, IL 60563
630-637-4638

Lincoln Park/Chicago
2551 N. Clark St., Suite 200
Chicago, IL 60614
773-472-3663

Oakbrook Terrace
1S376 Summit Ave., Ct. E
Oakbrook Terrace, IL 60181
630-424-0392

Rush/Chicago
1725 W. Harrison St.,
Suite 220
Chicago, IL 60612
312-942-2011

Oak Park
401 Harrison Street
Oak Park, IL 60304
708-383-2257

UIC/Chicago
1740 W. Taylor St.
Room C100
Chicago, IL 60612
312-996-6450

Schaumburg
1701 E. Woodfield Rd.,
Ste 555
Schaumburg, IL 60173
847-619-1701

Hickory Hills
8641 W. 95th St.
Hickory Hills, IL 60457
708-599-8336

Schererville
6629 W. Lincoln Hwy.
(Rt. 30), Suite 1
PO Box 507
Schererville, IN 46375
219-864-9501

the day, checking the skin after every 2 hours. If your skin is ok, gradually increase wearing time by 1 hour each day, checking the skin after each wearing time.

Cleaning and Maintenance:

The best way to clean a SMO is to spray the inside with rubbing alcohol and wipe dry to remove body oils and residue. It can also be cleaned by wiping it out with a damp towel and anti-bacterial soap or anti-bacterial moist towelettes.

Do not immerse the SMO in water, as this will harm the instep strap and metal fasteners. Keep the SMO away from excessive heat to prevent damage to the plastic.

Tips and Problem Solving:

SMO's should always be worn with socks and shoes. The best types of shoes to accommodate SMO's are basic gym shoes with laces or Velcro. Sandals and dress shoes are not recommended since these shoes do not have much room inside to accommodate the orthosis.

If you notice red marks, bruises, or blisters on your skin, discontinue wearing the brace and call your orthotist to schedule an appointment.

If there are any problems or questions regarding the orthosis, please contact the orthotist.

<p>Bannockburn 2101 Waukegan Road, Suite 104 Bannockburn, IL 60015 847-444-0690</p> <p>Naperville 1551 Bond St., Suite 111 Naperville, IL 60563 630-637-4638</p>	<p>Lincoln Park/Chicago 2551 N. Clark St., Suite 200 Chicago, IL 60614 773-472-3663</p> <p>Oakbrook Terrace 1S376 Summit Ave., Ct. E Oakbrook Terrace, IL 60181 630-424-0392</p>	<p>Rush/Chicago 1725 W. Harrison St., Suite 220 Chicago, IL 60612 312-942-2011</p> <p>Oak Park 401 Harrison Street Oak Park, IL 60304 708-383-2257</p>	<p>UIC/Chicago 1740 W. Taylor St. Room C100 Chicago, IL 60612 312-996-6450</p> <p>Schaumburg 1701 E. Woodfield Rd., Ste 555 Schaumburg, IL 60173 847-619-1701</p>	<p>Hickory Hills 8641 W. 95th St. Hickory Hills, IL 60457 708-599-8336</p> <p>Schererville 6629 W. Lincoln Hwy. (Rt. 30), Suite 1 PO Box 507 Schererville, IN 46375 219-864-9501</p>
--	--	--	---	---
