

Hip Abduction Orthosis

General Description:

A hip abduction orthosis is a brace that is typically used following a revision of a hip replacement or after a hip dislocation. It is used to help prevent excessive flexion or extension (forward and backward movement) of the hip and to limit adduction (it keeps the legs from moving together). The brace holds the femur (thigh) in the hip socket, allowing proper healing to take place. The brace should be worn 24 hours a day unless otherwise instructed.

Application:

Always ask for assistance if you are having trouble with any of the following steps.

Putting on the brace while lying down:

1. Open all straps on the brace
2. Apply on the side of the involved hip by inserting the tongue of the thigh cuff and waistband under waist and thigh; continue in the manner until the hip joint is in the middle of your side and the waist belt is centered.
3. The location of the waistband should be positioned in the space between the ribcage and the top of the hip (iliac crest); the indentations in the waistband should fall in this waist groove.



4. Application can be easier by sitting up slightly or if necessary, bend the opposite knee and arch the back to carefully elevate the torso.

Bannockburn
2101 Waukegan Road,
Suite 104
Bannockburn, IL 60015
847-444-0690

Naperville
1551 Bond St., Suite 111
Naperville, IL 60563
630-637-4638

Lincoln Park/Chicago
2551 N. Clark St., Suite 200
Chicago, IL 60614
773-472-3663

Oakbrook Terrace
1S376 Summit Ave., Ct. E
Oakbrook Terrace, IL 60181
630-424-0392

Rush/Chicago
1725 W. Harrison St.,
Suite 220
Chicago, IL 60612
312-942-2011

Oak Park
401 Harrison Street
Oak Park, IL 60304
708-383-2257

UIC/Chicago
1740 W. Taylor St.
Room C100
Chicago, IL 60612
312-996-6450

Schaumburg
1701 E. Woodfield Rd.,
Ste 555
Schaumburg, IL 60173
847-619-1701

Hickory Hills
8641 W. 95th St.
Hickory Hills, IL 60457
708-599-8336


Schererville
6629 W. Lincoln Hwy.
(Rt. 30), Suite 1
PO Box 507
Schererville, IN 46375
219-864-9501

- The Velcro at the waist should be pulled tightly and secured. Once the pelvic section is secure, the affected leg should be brought outward to match the thigh cuff and the cuff secured around the leg by fastening the straps and buckles.

Putting on the brace while standing:

Only apply the brace while standing if your physician has allowed you to do so.

- Place the waistband around your waist so that the waist indentations on the brace fall between the ribcage and the top of the hip (iliac crests) and so the opening is centered in the middle of the body.
- Tighten the waist strap until *snug* (it may help to face a mirror).
- Slide the thigh cuff around the leg and tighten the Velcro straps. The thigh cuff must be placed with the longest part on the inside of the knee allowing the knee to bend fully and comfortably.
- Re-tighten all straps on the waist and thigh until snug.



Correct



Correct

Important information and troubleshooting:

- If the brace is too loose, it will move on your body, allowing too much movement and a possible dislocation. For fleshier patients, the straps should be even tighter.
- The brace may need to be repositioned throughout the day.
- When lying down, the waist strap may need to be tightened to accommodate change in body shape as you stretch out.

Bannockburn
2101 Waukegan Road,
Suite 104
Bannockburn, IL 60015
847-444-0690

Naperville
1551 Bond St., Suite 111
Naperville, IL 60563
630-637-4638

Lincoln Park/Chicago
2551 N. Clark St., Suite 200
Chicago, IL 60614
773-472-3663

Oakbrook Terrace
1S376 Summit Ave., Ct. E
Oakbrook Terrace, IL 60181
630-424-0392

Rush/Chicago
1725 W. Harrison St.,
Suite 220
Chicago, IL 60612
312-942-2011

Oak Park
401 Harrison Street
Oak Park, IL 60304
708-383-2257

UIC/Chicago
1740 W. Taylor St.
Room C100
Chicago, IL 60612
312-996-6450

Schaumburg
1701 E. Woodfield Rd.,
Ste 555
Schaumburg, IL 60173
847-619-1701

Hickory Hills
8641 W. 95th St.
Hickory Hills, IL 60457
708-599-8336

Schererville
6629 W. Lincoln Hwy.
(Rt. 30), Suite 1
PO Box 507
Schererville, IN 46375
219-864-9501



4. Wearing a cotton T-shirt under the brace will prevent skin irritation and keep the brace clean. The brace is usually worn under loose-fitting clothes, putting your underwear on over the brace will make toileting easier.
5. While wearing the hip abduction orthosis, you will not be able to move in the same way you are accustomed to moving. Keep knees apart when sitting down, and when standing. Your leg must be kept out to the side, not underneath your body.
6. Sitting upright at 90° will be difficult if not impossible; the limits in the *range of motion* in the joint will usually not allow this position. A reclining chair or using pillows behind your back may be helpful.
7. Avoid very low chairs; they will be difficult to get up from without excessively flexing the hip. Use of an elevated toilet seat is recommended.
8. When getting up from a sitting position, move slowly, lean only towards the unaffected hip (Not the leg with the thigh cuff), and use your arms on the sides of the chair to assist you.



Cleaning and Maintenance:

1. One way to clean the brace is to spray the inside with rubbing alcohol and wipe dry to remove body oils and residue. The brace can also be cleaned by wiping it out with a damp towel and anti-bacterial soap or anti-bacterial moist towelettes.
2. Do not immerse the brace in water, as this will harm the straps and fasteners. Keep the brace away from excessive heat to prevent damage to the plastic and foam liners. Do not attempt to clean the brace in a washing machine or drying the brace in a dryer.
3. The foam liners can be removed if necessary for cleaning. This should only be done by hand, in warm water and mild detergent. The brace should be rinsed well and drip-dry.
4. Please contact your Orthotist if an extra set of liners is needed.

IF THERE ARE ANY PROBLEMS OR QUESTIONS REGARDING THE
CARE AND USE OF THE BRACE, PLEASE CONTACT YOUR
ORTHOTIST

Bannockburn 2101 Waukegan Road, Suite 104 Bannockburn, IL 60015 847-444-0690	Lincoln Park/Chicago 2551 N. Clark St., Suite 200 Chicago, IL 60614 773-472-3663	Rush/Chicago 1725 W. Harrison St., Suite 220 Chicago, IL 60612 312-942-2011	UIC/Chicago 1740 W. Taylor St. Room C100 Chicago, IL 60612 312-996-6450	Hickory Hills 8641 W. 95 th St. Hickory Hills, IL 60457 708-599-8336
Naperville 1551 Bond St., Suite 111 Naperville, IL 60563 630-637-4638	Oakbrook Terrace 1S376 Summit Ave., Ct. E Oakbrook Terrace, IL 60181 630-424-0392	Oak Park 401 Harrison Street Oak Park, IL 60304 708-383-2257	Schaumburg 1701 E. Woodfield Rd., Ste 555 Schaumburg, IL 60173 847-619-1701	Schererville 6629 W. Lincoln Hwy. (Rt. 30), Suite 1 PO Box 507 Schererville, IN 46375 219-864-9501